

NOTES

1. ALL SURFACES TO BE FREE FROM DENTS, SCRATCHES, MARKS AND DISCOLOURATION

ISO 2768-m


LINEAR DIM.	0.5 - 3	>3 - 6	>6 - 30	>30 - 120	>120 - 400
LINEAR TOL.	±0.1	±0.1	±0.2	±0.3	±0.5


ANGLED FEATURE LENGTH	0 - 10	>10 - 50	>50 - 120	>120 - 400
ANGULAR TOL.	±1°	±0°30'	±0°20'	±0°10'

TOLERANCES UNLESS STATED	
LINEAR ±	SEE TABLE
ANGULAR ±	SEE TABLE*
ESTIMATED MASS 0.10 kg	

MATERIAL & SPEC.
AL.ALLOY, 6082-T6
DIMENSIONS IN mm UNLESS STATED
DRAWING CONFORMS TO BS 8888 TOLERANCING ISO 8015

SURFACE TEXTURE UNLESS STATED
✓ Ra 6.3
FINISH
CLEAN
REMOVE ALL BURRS



A01	Jul-2019 16:23	LCC	JST	JST	MANUFACTURE ONLY WHEN STATUS IS RELEASED	RELEASED
ISSUE	DATE OF ISSUE	MOD. No.	DRAWN BY	CHKD BY	APPD BY	STATUS
 TECHNOLOGY DEPARTMENT RUTHERFORD APPLETON LABORATORY HARWELL CAMPUS, DIDCOT, OXFORDSHIRE, OX11 0QX					USED ON	
					TD-2580-0104	?
					?	?
					?	?
TITLE						
ADJUSTMENT PLATFORM						
?						
A3	SHEET 1 OF 1		TD-2580-0105			A